

From: [Richner, Donald - HHS](#)
To: [Moore, Gary](#); [Reese, Sharon - HHS](#)
Cc: [Blanco, Arturo - HHS](#); [James, Daisy - HHS](#); [Badar, Tanwir - HHS](#); [Desouza, Isaac - HHS](#)
Subject: CES
Date: Monday, April 21, 2014 10:26:28 AM

Mr. Moore,

Daisy James, our complaint investigator team manager, is going to forward some of the recent complaint information about CES that Sharon Reese requested for you, but our history with the facility actually goes back to 2005. Since the CES bankruptcy closing, several years ago, most of the air and water complaints we have received relate to container leaks and spills that were not cleaned up readily, or completely. The site has multiple open containers onsite as well as storage tanks without any secondary containment and it was one such tank, that supposedly ruptured, which was blamed as the cause of this latest round of complaints.

Should you wish to discuss the CES site we would be glad to meet with you or have a phone conference with our investigators and engineers to discuss the problems we've observed and our current concerns? Or, if you prefer, we would be glad to meet with you on the CES site to discuss those issues, should that opportunity arise.

Thanks

Donald R. Richner, CIH

Senior Project Manager

Houston Department of Health & Human Services

Bureau of Pollution Control & Prevention

Office 832-393-5651

Cell: 713-392-3919

The information contained in this e-mail message is intended only for use of the individuals or entities named above. If you are not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, call 832-393-5637 and destroy the original